

Wood Plastics Composites in Europe

Analysis – Technology – Market Opportunities A Hackwell Group Report

April 2006

Chris Foster, Brian Hackwell and Geoff Pritchard

Contents (284 pages)

Wood Plastics Composites in Europe

Glossary

Executive Summary

1. What this report is about

- 1.1 Wood Plastics Composites (WPC)
- 1.2 What is meant by “wood”?
- 1.3 Structure of the Report
- 1.4 Geographic scope
- 1.5 Markets
- 1.6 Fabrication processes
- 1.7 Status of the information provided

2. Frequently asked questions

- 2.1 What is WPC?
- 2.2 What are the raw materials for WPC?
- 2.3 Can money be made from WPC?
- 2.4 What are the alternatives to ordinary wood fibres in WPC?
- 2.5 Is WPC really a new technology?
- 2.6 How different is one WPC brand or grade from another?
- 2.7 Could any other materials be confused with WPC?
- 2.8 Will Europe follow US trends?
- 2.9 Is WPC environmentally-friendly?
- 2.10 What can WPC be used for?
- 2.11 Does WPC need a special approach to product design?
- 2.12 So what is the difference between first and second generation WPC?
- 2.13 Where does WPC fit in the market place?
- 2.14 Is WPC competitive on price?
- 2.15 To summarise, what advantages does WPC offer?

3. Technical performance of wood-plastics composites

- 3.1 Quality of the data
- 3.2 Density (specific gravity)

- 3.3 Workability
- 3.4 Dimensional stability in fluctuating temperatures
- 3.5 Joining two WPC parts
- 3.6 Appearance
- 3.7 Outdoor durability
- 3.8 Water absorption
- 3.9 Flammability
- 3.10 Mechanical properties of WPC
- 3.11 Time dependent effects (viscoelasticity)
- 3.12 Fatigue properties
- 3.13 Rheological properties
- 3.14 Friction and anti-skid properties
- 3.15 Abrasion
- 3.16 Special types of WPC

4. Environmental profile

- 4.1 Introduction
- 4.2 Materials
- 4.3 Production
- 4.4 Use
- 4.5 End-of-life
- 4.6 Quantitative Life Cycle Assessment
- 4.7 Relevant eco-labels
- 4.8 Conclusion

5. Raw materials: wood and other fillers

- 5.1 Ordinary wood from trees
- 5.2 Size and shape of wood particles
- 5.3 Composition of wood
- 5.4 Characteristics of wood
- 5.5 Wood suppliers
- 5.6 Newsprint and other waste paper
- 5.7 MDF (medium density fibreboard) dust
- 5.8 Mineral and other fillers, and nanofillers
- 5.9 Natural fibres as competitors for wood in (mainly automotive) plastics
- 5.10 Health and safety hazards of wood and related fillers

6. Raw materials: resins

- 6.1 The role of resin in WPC compositions
- 6.2 Compatibility between resin and fibres
- 6.3 How much resin to use
- 6.4 Why polyolefins are the first choice
- 6.5 Density and melt flow index (MFI) of polyethylene
- 6.6 Polypropylene
- 6.7 Polystyrene and ABS
- 6.8 PVC
- 6.9 Engineering thermoplastics
- 6.10 Thermosetting resins
- 6.11 Effect of resins on fire performance
- 6.12 Effect of thermoplastic resin type on mechanical properties
- 6.13 What happens when crude oil becomes scarce?
- 6.14 Recycled resins

7. Processing and fabrication

- 7.1 Introduction
- 7.2 Sheet
- 7.3 Wood content of extruded mixes
- 7.4 Stages of the extrusion process
- 7.5 Extruding the mix
- 7.6 Throughput rates
- 7.7 Raw materials
- 7.8 Wood preparation
- 7.9 Avoidance of preliminary drying
- 7.10 Blending and compounding
- 7.11 Types of extruder
- 7.12 Defects in WPC profiles
- 7.13 Tooling, calibration, cooling and haul-off
- 7.14 Surface finishing
- 7.15 Inducing orientation in WPC
- 7.16 Extrusion equipment manufacturers
- 7.17 Injection moulding WPC
- 7.18 Other fabrication processes
- 7.19 Foaming WPC

8. Additives

- 8.1 Introduction
- 8.2 Reasons for using additives in WPC
- 8.3 Types of additive available
- 8.4 Colorants
- 8.5 Special effect colorants
- 8.6 Lubricants
- 8.7 Coupling agents/compatibilisers
- 8.8 Biocides (antimicrobials)
- 8.9 Stabilisers and antioxidants
- 8.10 Impact modifiers for PVC-based WPC
- 8.11 Flame retardants
- 8.12 Dispersing agents
- 8.13 Other additives
- 8.14 Environmental issues associated with additives

9. Production economics

- 9.1 Licensing
- 9.2 Capital expenditure
- 9.3 Raw material handling
- 9.4 Compounding
- 9.5 Extruding the mix
- 9.6 Tooling, calibration, cooling
- 9.7 Surface finishing
- 9.8 Raw material costs

10. Standards & legislation

- 10.1 Introduction
- 10.2 Tests
- 10.3 Material Tests
- 10.4 Product tests

10.5 Regulations

11. Regional factors

- 11.1 Introduction
- 11.2 Similarities between European and North American markets
- 11.3 Contrasting size of North American and European WPC companies
- 11.4 Products
- 11.5 Economic differences within Europe
- 11.6 Marketing differences within Europe

12. Current and potential markets in Europe

- 12.1 European economic background
- 12.2 Overall WPC market in Europe
- 12.3 Applications of WPC in building and construction
- 12.4 The European automotive sector
- 12.5 The furniture market in Europe
- 12.6 Infrastructure
- 12.7 Miscellaneous products
- 12.8 Injection moulding

13. Suppliers of WPC

14. Barriers to entry

- 14.1 Introduction
- 14.2 Polymer and wood technologies differ
- 14.3 Cost of WPC sector entrance
- 14.4 Poor image of recycled materials
- 14.5 Lack of standards and specifications for recycled materials
- 14.6 Availability of post-consumer and post-industrial materials across Europe
- 14.7 Lack of standards and specifications for end-products
- 14.8 Cost advantage not immediately apparent
- 14.9 Lack of a large volume market in Europe
- 14.10 Conservative customers
- 14.11 Poor marketing
- 14.12 Applications restricted by lack of impact and bending strength
- 14.13 Conclusions

15. Distribution

16. Conclusions and strategies for the future

- 16.1 Market size and growth rate
- 16.2 Recent progress
- 16.3 Environmental impact
- 16.4 Specific market areas
- 16.5 Strategies

APPENDIX A. Some contacts in universities and technical institutes